



# eResept 2.12.0 (#7372)

## Release Notes

17.8.2013

## No component defined

---

FM now uses the latest M2 message specification (version 2.5, 2013-04-16).

It is now possible to create Helfo applications for Legemiddelblandning, in addition to LegemiddelMerkevare.

When creating a new Helfo application, the "allowed prescriber" list for opioid medications now by default includes the local organization in addition to the current user.

[ RENO-4166 ]

The screen for creating and editing preparations has been re-done. Now, instead of specifying the default amount to prescribe, the package size for the preparation must be specified. Also, the information required for the ingredients has change.

When preparations are prescribed, it is now done similar to prescribing packages, i.e. using the package size.

When prescribing, a copy of the preparation is made and prescribed so that changing the preparation from the prescription screen will not affect the original preparation, only the copy.

[ RENO-5060 ]

New option in Godkjenn VIB" - "Foreløpig godkjenning" (preliminary confirmation):

- New preliminary admission confirmation screen where the user specifies the sources of information
- New screen is showed in read only mode when opening a patient with preliminary admission confirmation. This can be configured in the administration.

- Preliminary admission confirmation sources are available in the copy to clipboard and printout functionalities.

The preliminary admission confirmation option follows the visibility of the admission confirmation option.

[ RENO-5545 ]

New type of vib confirmation ("Other").

New configurable timeout for how long the patient can be confirmed for admission/discharge when it is outside of the context of an admission.

New vib confirmation indicator in the lib history.

New option to the confirm button in the main screen to confirm the VIB outside the context of an admission. This option is available if no admission date is reported from DIPS. This means that:

a) Patient with admission date from DIPS: Confirm admission VIB and confirm discharge VIB are shown.

b) Patient with no admission date from DIPS and no recent admission: Only the new VIB confirmation option (other) is available.

c) Patient with no admission date from DIPS, but who has recently had an admission date from DIPS: All three confirmation types are available.

[ RENO-5474 ]

It is now possible to add fixed periods to new local kortdoser when creating them from the new prescription screen.

[ RENO-5650 ]

Warning about the number of "Andre forskrivninger" no longer takes the RF entries into account.

[ RENO-5656 ]

Paragraph 2 refusjon and refusjonskode can now be specified when creating a template in the user preferences screen.

[ RENO-5701 ]

Seponering made by an assistant has to be accepted (or rejected) by a doctor. Inbox notifications are sent when assistant proposes to seponate a medication.

[ RENO-5702 ]

Patient banner was rearranged in order to accommodate PLO information.  
Plo info was removed from patient information center pane.

[ RENO-5703 ]

Correction to error when sending messages to RF for patients with long address.

[ RENO-5704 ]

In S.11 there is an organization hierarchy dropdown that controls which prescription templates are shown in search results.

In S.15 there is an organization hierarchy dropdown that controls which avdeling is included in the sender part of the MsgHead in the resulting M1.

The fallback in S.11 is to leave nothing selected. The fallback in S.15 is the institution itself. The request here is to fall back on an avdeling configured for the user, the doctor, rather than on the institution. In addition, the organization node selected in S.11 should be the avdeling communicated from the EPJ rather than the post (see GetHierarchyCallback in the S.11 viewmodel).

[ RENO-5709 ]

Users are no longer able to handle SLV warnings, as that would hide them from other users.

[ RENO-5720 ]

Copy to clipboard text is changed as follows:

- Use the kortdose text instead of Dssn when a kortdose is available.
- Remove refusjonsinformasjon.
- Put a capital letter at the start of the bruksområde and a period at the end.

[ RENO-5793 ]

When FM receives HNR from DIPS:

- If birthdate is not given it is calculated from HNR.
- If sex is not given then it is retrieved from HNR
- HNR is not passed within the MsgHead in the prescription
- Resepter are locked (the same when theres is no FNR/DNR)

[ RENO-5794 ]

In the print button there is a new option.

A user can now print the LIB in the Kurve forms.

[ RENO-5795 ]

It is now possible to create protocols and prescribe protocols. A protocol is a collection of prescription templates. Doctors can create their own protocols and admin users can create global protocols or link them to a ward.

[ RENO-5800 ]

Filter preferences in the medicine search screen are remembered when prescribing, regardless of what other medicine searching has occurred recently (such as helfo application creation).

[ RENO-5804 ]

The client now uses RF query caching.

Information about the last M9.5 date and time are shown in at the right in the status bar (bottom right corner).

Information on relevant entries in the RF status column are shown in a tooltip stating when the status was updated informing the user that the status can be updated by doing a new RF query.

RF statuses that are not final should time out and show a "?" icon when they have timed out. The tooltip shows the last known status and information that the status can be refreshed by querying RF.

The timeout used is the RF query cache timeout set in system configuration.

[ RENO-5806, RENO-5706 ]

Opening external information from the LIB no longer gives a different result than opening from the search and prescription windows.

[ RENO-5857 ]

It is now possible to search external information sources by virkestoff name.

[ RENO-5858 ]

Handling of multiple items in a Helfo Application has been corrected. Now, each applied item, even part of the same M2 message, is seen as an individual helfo application.

[ RENO-5859 ]

When a fest update crashes it is now marked has being failed.

[ RENO-5860 ]

Null value for default organization, as can now be selected in user preferences, shouldn't cause problems.

This mainly happened when running the client for the first time after this feature became available and is now fixed.

[ RENO-5861 ]

Imported preparations are now shown on both the history tab and lib history.

[ RENO-5906 ]

The "search templates" option is disabled on the medicine search screen when creating a new template. Templates were removed from search results.

[ RENO-5922 ]

Save/cancel buttons removed from user information screen and dedicated save buttons created for basic user information and for printer configuration.

[ RENO-5945 ]

Warning about number of andre forskrivninger does not take into account discontinued prescriptions.

[ RENO-5964 ]

Correction to enable saving when template that uses a refkode requires inst-av.

[ RENO-5986 ]

The order of options in the popup menu to confirm the VIB (from the main screen) has been changed to the following:

- Foreløpig godkjenning
- Godkjenn VIB ved innleggelse
- Godkjenn VIB ved utreise
- Godkjenn VIB

[ RENO-5996 ]

Display of Helfo applications and responses has been updated to version 2.5.

[ RENO-6062 ]

