



eResept 2.12.5 (#8377)

Release Notes

7.11.2013

No component defined

Indikasjon on a medication prescription is now allowed to be 60 characters long.

[RENO-4142]

Fixed defect in preparation instruction text generation that caused "a.d." suffix from going missing for ingredients and that caused the strength enumerator unit being used for both strength enumerator and denominator.

[RENO-6689, RENO-6690]

Sent e-resept (M1) for Legemiddelblanding no longer contain structured information about Bestanddeler in the Legemiddelblanding.

[RENO-6691]

"Reason for change" is now shown correctly in the Samstemming preview window and printout, i.e. only when the prescription has actually changed

[RENO-6692]

Users with the privilege to manage local medications (free text and preparations) are now given the option to save local medications for use in a single preparation only in addition to adding a medication to the local medication list.

[RENO-6693]

The two medication lists in the samstemming screen are now better separated and are aligned with the "from" and "to" period selection above the lists.

[RENO-6702]

Fixed a defect that prevented non-admin users with the privilege to manage kortdoser from saving a kortdose encoding.

[RENO-6727]

Draft prescriptions are no longer included in printouts that result from "Skriv ut aktuell VIB" and "Skriv ut aktuell LIB".

[RENO-6728]

The user is now notified if printing a medication list in kurve form will result in more than one print job.

[RENO-6731]

A warning is now shown for prescriptions of preparations that contain no ingredients, or any free text ingredients or virkestoff ingredients. The warning states that no interaction check could be done. Note: currently this warning will not be shown for non-local preparations until they have been imported

[RENO-6732]

If refusjonshjemmel 3a is selected for a prescription where a discharge date has been specified, the refusjonskode is included in the resulting e-resept even if the Helfo application has not been approved (this only applies in hospitals).

[RENO-6738]

Removed empty seponeringsdato from kur lines on clipboard text, also moved the seponeringsdato to be placed directly after Dssn text.

[RENO-6742]

Users with the privilege to manage templates can now edit and delete protocols from the protocol search screen.

[RENO-6781]

Fixed rejecting of changes made by an assistant. Previously, if a doctor created a prescription without sending it, then an assistant made some changes to it, if the doctor then rejected the changes made by the assistant, the prescription would be deleted. Now the changes made by the assistant are reverted, and the original version created by the doctor will be left.

[RENO-6782]

Slight improvements in the treatment protocol UI.

[RENO-6796]