



Forskrivningsmodulen (e-resept) 3.4.24 (#11510)

Release Notes

19.2.2015

No component defined

Various new database indexes have been added to improve performance

[RENO-9709]

Performance improvement when opening the prescription screen after searching for a new medication.

[RENO-9710]

Performance improvements when sending M1 and M5 messages.

[RENO-9711]

When renewing a prescription that has a delivery request (ekspederingsanmodning), the ekspederingsanmodning is now dropped from the resept and needs to be created again if the resept should go out with an ekspederingsanmodning. If there is already a prescription with a delivery request on the signing queue, that delivery request is now applied to the renewed resept.

[RENO-9727]

FM will only load the data elements needed for the history of a prescription when generating M25.1.

[RENO-9734]

StartPasient performance has been improved.

[RENO-9748]

LIB-lookups (M9.11) are now enabled by default.

Doctors in non-hospital installations are now allowed to register as LIB-ansvarlig by default.

[RENO-9754]

Kodeverk 7490 has been updated. The new code "L" is now used when generating M25.1 messages instead of the deprecated code "M".

[RENO-9763]

Changes to existing prescriptions in the VIB are now allowed while resepthistorikk and M25 history are loading.

[RENO-9768]

A warning is displayed if the user opens sign/send without having performed an RF lookup the same day.

[RENO-9782]

M9.11 queries sent with temporary permission from patient (i.e. not stored) now sent with "Samtykke" set to "Ja".

[RENO-9795]