

Angre en handling

Det er mulig å angre en handling på en legemiddeloppføring før den er signert og sendt. Det gjør du inne på detaljvisningen på oppføringen, ved å velge "angre" markert i bildet under. Dersom det er en ny oppføring vil den forsvinne fra LIB, dersom det er en endring, vil den gå tilbake til slik den var før endringen ble utført.

The screenshot shows a medical record interface. At the top, there are two buttons: 'Endre' (Edit) and 'Seponer' (Discontinue). Below these, the treatment name 'Paracetamol tab 500 mg' is displayed. To the right of the name is a dropdown menu with a downward arrow. Below the treatment name, there is a status bar showing a checkmark, the date '25.04.25', the time '07:59', and the text 'Behandling opprettet- Benjamin Bodin (LE)'. To the right of this status bar is a button labeled 'Angre' (Undo), which is circled in green. Below the status bar, there is a table with two columns: 'Bruk' (Use) and 'Bruksområde' (Indication). The table contains the following rows: 'Fast' (Regular) with 'MOT SMERTER' (Against pain), and 'Diagnose' (Diagnosis) with '-'. To the right of the table, there is a section with the following information: 'ATC: N02BE01', 'REKVIRERT AV: B.Bodin', 'INSTITUERT AV: -', 'BEHANDLING STARTET: 25.04.2025', and 'FØRSTE DOSE: 25.04.2025'. On the far right, there is a vertical sidebar with the text 'Felleskatalogen - EKSTERN'.

Bruk	Bruksområde	ATC:	N02BE01
Fast	MOT SMERTER	REKVIRERT AV:	B.Bodin
Diagnose	-	INSTITUERT AV:	-
		BEHANDLING STARTET:	25.04.2025
		FØRSTE DOSE:	25.04.2025